




LED Handrail



Kent LED



Handrail

KLHR2000

Specify:


Kent LED Handrail KLHR2000, 1100mm overall height, 2000mm length, 48mm diameter tube; 3mm thick wall; Grade 316L Stainless Steel; Bright Satin Finish; High Flux LED Rail Luminaires.

The Kent LED Handrail is manufactured from Grade 316L Stainless Steel, 48mm diameter with a 3mm thick wall. It has a bright satin finish as standard. The standard length is 2000mm and the height is 1100mm. The handrail will have a middle leg installed for extra support. The LED handrail is completed with High Flux Rail LED Luminaires, these lights give off a white glow that makes it easy for pedestrians to see their way around at night time.



Features

- Grade 316L Stainless Steel
- High Flux LED Rail Luminaires
- Low Maintenance
- Reliable, Controllable Illumination
- Energy Efficient
- Easy to Install




Kent LED Handrail KLHR2000



Product Dimensions:

Reference	Height	Width	Diameter	Length
Kent LED Handrail KLHR2000	1100mm	520mm	48mm	2000mm



Kent LED

Handrail

KLHR2000

Overview

The Kent LED Handrail is manufactured from Grade 316L Stainless Steel, 48mm diameter with a 3mm thick wall. It has a bright satin finish as standard. The standard length is 2000mm and the height is 1100mm. The handrail will have a middle leg installed for extra support. The LED handrail is completed with High Flux Rail LED Luminaires, these lights give off a white glow that makes it easy for pedestrians to see their way around at night time.

Maintenance

Stainless Steel:

Clean the stainless steel components using warm water with a mild detergent with a non-abrasive cloth or sponge. Heavier stains may require the use of a nylon-scouring pad or a stainless steel cleaner. To remove paint or graffiti use a cloth and Alkaline or solvent paints and strippers according to type of paint. In the case of a bead blasted finish, where abrasive cleaning is required, always use a random circular rubbing action with a cloth. In the case of brushed finishes the surface consists of uniform fine 'scratches' running in one direction so where abrasive cleaning is required always use a straight back and forward rubbing action in the direction of the grain using soap and warm water. Rust spots or tea stains can occur on the surface of the material, these are normally caused by contamination from ordinary mild steel, particularly in areas where construction work has been undertaken. Such stains can be removed using Rust Remover 410. In cases where the surface is severely stained because of severe environmental conditions or scratched due to misuse, it may still be possible to restore the original finish using chemicals such as Oxalic Acid solution. There are many stainless steel polishes available to enhance the surface finish. We recommend Mister Stainless Ltd. As a provider for stainless steel products.

**Kent LED Handrail
KLHR2000**



