Kent Coffin Bollard



Specify:

Kent Coffin Bollard KCB101/3/FT; Kent Coffin Bollard KCB-KFTB-101/3; 900mm Overall Height above GL; 3mm thick wall; Grade 316L Stainless Steel; Bright Satin finish; 174mm deep storage chamber; B125 Chequer loading lid.

Description:

The Kent Coffin Bollard is manufactured from Grade 316L Stainless Steel, 101mm diameter with a 3mm thick wall. It has a Bright Satin Finish as standard. The standard Height above GL is 900mm with a 174mm deep Coffin. The Coffin itself is . The lid of the chamber is manufactured for B125 loading. The cover is Chequer Plate for slip resistance and the chamber contains a drainage outlet connection. The Dome Top Bollard (KDTB-101/3) can be changed to suit to other Bollard options.

Features:


•

- Grade 316 Stainless steel
- Fits 101mm dia Bollard
- Easily detached from Coffin if damaged


Kent

- Satin Finish 320 Grit Polish
- Chequer plate top on Coffin
- Multiple Bollard caps available






| Product Code | Height Above GL | Depth | Width | Length | Bollard Dia |
|-----------------------------------|-----------------|-------|-------|--------|-------------|
| Kent Coffin Bollard - KCB101/3/FT | 900mm | 174mm | 225mm | 1073mm | 101mm |



Specify:



Kent



Maintenance of Stainless Steel

Clean the stainless steel components using warm water with a mild detergent with a non-abrasive cloth or sponge. Heavier stains may require the use of a nylon-scouring pad or a stainless steel cleaner.

To remove paint or graffiti use a cloth and Alkaline or solvent paint strippers according to type of paint. In the case of a bead blasted finish, where abrasive cleaning is required, always use a random circular rubbing action with a cloth.

In the case of brushed finishes the surface consists of uniform fine 'scratches' running in one direction so where abrasive cleaning is required always use a straight back and forward rubbing action in the direction of the grain using soap and warm water.

Rust spots or 'tea stains' can occur on the surface of the material, these are normally caused by contamination from ordinary mild steel, particularly in areas where construction work has been undertaken. Such stains can be removed using Rust Remover 410.

In cases where the surface is severely stained because of severe environmental conditions or scratched due to misuse, it may still be possible to restore the original finish using chemicals such as Oxalic Acid solution. There are many stainless steel polishes available to enhance the surface finish.

We recommend Mister Stainless Ltd. as a provider for stainless steel cleaning products.






Installation of Coffin

Coffin Bollard

- 1. Remove Pavement and excavate a hole to minimum dimensions of L1073 x W225mm x D143mm.
- 2. The Coffin Bollard should be bolted with 4no. M10 bolts into a existing Concrete block under ground .(Size Specified by engineer)
- 3. The drainage point should not be set into concrete. This should be connected to a drainage system or have efficient space to disperse water.
- 4. Re-instate the concrete around the base of the Coffin.
- 5. Apply the paving and make sure it is well bedded in.





KENT STAINLESS: STREET FURNITURE6KENT COFFIN BOLLARD - KCB101/3/FT

Testimonials

| Yaured Durind 201915-4008/FS Filend A L0106 | ARUP |
|---|--|
| Kent Sainless Adouron Westerd Ireland | 50 Ringword Road Debin 4 Feidad t = 151 1231 4655 f = 1531 1668 3169 gar hybridigilang oor www.ang.cen |
| 16 April 2012 | |
| To whom in concerns | |
| Dublin Airport Terminal 2 | |
| | he stainless steel street furniture and fittings for nd played a key role in the delivery of a world with a Quality Contractor Award. |
| delivered very high quality results, and me the project. Kent Stainless also met all requirements of the project. Their flexible | ing standard product design and manufacturing t the specific functional and aesthetic needs of of the Environmental and Health and Safety approach to service delivery includes the ability poth design and fabrication, and a personal |
| We have no hesitation in recommending K them on public building projects in the futur | ent Stainless and look forward to working with re. |
| Yours sincerely for Arup Ger Bythell | |
| Bentes Espen (Jon Optimer) Jin Som Gere Krief Ster Ger Mit Ster Grin fon Som An Som Anne Per Frei Jin Ladi Son Ster Ster An Son Anne Son Anne Son Anne Son Anne Son Son Son Son Anne Son Anne Son Anne Son Anne Son Esperante Son Anne Son Anne Son Anne Son Ottevel And Of Soners Sentence Son Anne Son Ottevel And Office Soners Son Anne Son Anne Son Ottevel And Office | To concern And concerns these concerns and concerns the second and may been from these concerns the second and the second and concerns the second and the second and the second and the second and the second and the second and the second and the second and the second and the second and the second and the seco |

| 🔊 🗤 bam | | | | |
|--|--|--|--|--|
| | civil | | | |
| Formely trading as Ascen Ltd | BMCOvil Ind KR, Co. Kiklers, Iviland Telephene +331 (0)+5 186460 / E-nail info@bamcivLie www.bamcantactors. | | | |
| | | | | |
| Kent Stainless | | | | |
| Ardcavan | | | | |
| Wexford | | | | |
| | 31 st January 2010 | | | |
| Ref: Luas Ligi | nt Rail Line A1 – Citywest Extension | | | |
| Dear Ann, | | | | |
| again, showed great professionalism in | s been completed on time and in budget. Your team, once engineering design, delivery and installation. Quality, Safety y Performance Indicators on all BAM projects – Kent Stainless | | | |
| We look forward to working with you a | gain | | | |
| Yours Sincerely | | | | |
| Andrew Kehoe | | | | |
| | | | | |

| | | Forward swindon |
|--|--|---|
| Kent Stainless | | Farmiby Slocet, Swindon SH1 SM1 T 01793-429550 F 01793-610299 |
| Ardcavan | | W forwardswindon.co.uk |
| ireland | | |
| | | 30 th October 2011 |
| | | |
| Case Million | | |
| Dear William, | Regent Street, Swindor | |
| Congratulations on the compl | etion of the design and manufac | ture of the various benches for Regent lived and hope to further roll them out |
| Congratulations on the compl Street, Swindon. We are delig in upcoming schemes. Your timely delivery and seam | etion of the design and manufac (hted with the final product rece dess integration with main contri | tare of the various benches for Regent ived and hope to further roll them out |
| Congratulations on the compl Street, Swindon. We are delig in upcoming schemes. | etion of the design and manufac plated with the final product rece less integration with main contri success. | tare of the various benches for Regent ived and hope to further roll them out |

"We have no hesitation in recommending Kent Stainless and look forward to working with them on public building projects in the future"

- ARUP

" Kent Stainless scored highly in all regards again"

- BAM

"Your timely delivery and seamless integration with main contractor Skanska made the overall project a huge success"

- Forward Swindon

Kent Stainless Ltd Ardcavan, Wexford, Ireland

TEL NO: UK FREEPHONE: FAX: WEB: EMAIL: +353 53 9143216 0800 376 8377 +353 53 9141802 www.kentstainless.com info@kentstainless.com

