

Kent Manhattan Cycle Stand



Kent
STAINLESS

**KENT MAHATTON CYCLE STAND (KMCS1200)****Specify:**

Kent Manhattan Cycle Stand (KMCS1200); Grade 316 stainless steel; 3mm thick; Height: 1200mm, Length: 1304mm, Diameter: 48mm. Satin finish 320 grit polish. Cast in.

Description:


The Kent Manhattan Cycle Stand KMCS1200 is a 1200mm high by 1304mm wide stainless steel cycle stand. The Manhattan Cycle Stand is a design led alternative to more common stainless steel cycle stands. The robust design allows 2 bicycles to be locked in position per stand. Widely used in pedestrianised, commercial and parkland areas.

Features:

- Grade 316 Stainless Steel
- Satin Finish 320 grit polish
- 48mm diameter
- 3mm thick steel Bollard & 2mm thick steel fin bar



KENT MAHATTON CYCLE STAND (KMCS1200)



Product Code	Height	Width	Diameter	Thickness of Steel
Kent Manhattan Cycle Stand	1200mm	1304mm	48mm	3mm





Product Installation

Visible Flange:

- Ensure that the surface to which the stand is mounted is sufficiently strong.
- Position the pole in the correct location. Mark the holes and drill into the surface.
- Place the pole directly over the holes and then fix the pole to the surface using M12 bolts.

Buried Flange:

- Cast a foundation with a minimum dimension of L350 x W350 x D350mm below the surface.
- Once concrete is set follow steps 1-3 as per flange detail above.
- Fill hole with grout and replace slabs to finish of the pole

Cast In:

- Remove pavement and excavate a hole to minimum dimensions of L350 x W350 x D350mm.
- Position your pole in the correct position ensuring correct height and then prop the stand securely.
- Fill the hole with concrete up to the level of the underside of the pavement ensuring a good smooth surface finish..
- Remove props, replace the paving slabs, and ensure that they are well bedded in



Maintenance of Stainless Steel

Clean the stainless steel components using warm water with a mild detergent with a non-abrasive cloth or sponge. Heavier stains may require the use of a nylon-scouring pad or a stainless steel cleaner.


To remove paint or graffiti use a cloth and Alkaline or solvent paint strippers according to type of paint. In the case of a bead blasted finish, where abrasive cleaning is required, always use a random circular rubbing action with a cloth.

In the case of brushed finishes the surface consists of uniform fine 'scratches' running in one direction so where abrasive cleaning is required always use a straight back and forward rubbing action in the direction of the grain using soap and warm water.

Rust spots or 'tea stains' can occur on the surface of the material, these are normally caused by contamination from ordinary mild steel, particularly in areas where construction work has been undertaken. Such stains can be removed using Rust Remover 410.

In cases where the surface is severely stained because of severe environmental conditions or scratched due to misuse, it may still be possible to restore the original finish using chemicals such as Oxalic Acid solution. There are many stainless steel polishes available to enhance the surface finish.

We recommend Mister Stainless Ltd. as a provider for stainless steel cleaning products.





KENT MAHATTON CYCLE STAND (KMCS1200)

Specify

Choose your steel:
Grade 304 Stainless steel
Grade 316 Stainless steel
Mild Steel Galvanised

Customise your size
To suit your projects needs
or go with our standard
1304mm Length x 1200mm
height and 48mm
diameter with 3mm thick


Specify:
Kent Manhattan Cycle Stand (KMCS1200); Grade 316 stainless steel; 3mm thick; Height: 1200mm, Length: 1304mm, Diameter: 48mm. Satin finish 320 grit polish. Cast in.

Customise your finish
Satin Finish 320 Grit Polish
Powder-coating
Shot Peened

- Options**
- Powder-coated
 - Satin finish 320 Grit Polish
 - Galvanised
 - Grade 304 Stainless Steel
 - Grade 316 Stainless Steel



Testimonials



“We have no hesitation in recommending Kent Stainless and look forward to working with them on public building projects in the future”

- ARUP



“ Kent Stainless scored highly in all regards again”

- BAM



“ Your timely delivery and seamless integration with main contractor Skanska made the overall project a huge success ”

- Forward Swindon



Kent Stainless Ltd

Ardcavan, Wexford, Ireland

TEL NO: +353 53 9143216
UK FREEPHONE: 0800 376 8377
FAX: +353 53 9141802
WEB: www.kentstainless.com
EMAIL: info@kentstainless.com



Kent
STAINLESS