

RECTANGULAR PLANTERS

KRP-1500/665





The Kent Rectangle Planter KRP-1500/665 is manufactured with Grade 316L Stainless Steel. The external finish of the planter is a Satin 320 Grit Polished Finish that gives a RA value of less than 0.5. It has a 3mm thick wall throughout. The planter is 440mm overall in height, 430mm wide and 1500mm long. It is easy to install and has low maintenance when installed.

The Planter is manufactured from heavy duty stainless steel throughout to maximise vandal resistance and minimise maintenance. The planter lends itself well to incorporate words, logos and symbols on any of the faces of the planter.

Features:

- Grade 316L Stainless Steel
- Satin 320 Grit Polished finish, gives off RA of less than 0.5
- 3mm thick wall
- Easy installation
- Low maintenance






Product Dimensions

Product Code	Height	Lenght	Width
Kent Rectangle Planter KRP 1500/665	665mm	1500mm	485mm
Kent Rectangle Planter KRP 1800/665	665mm	1800mm	485mm
Kent Rectangle Planter KRP 1500/800	800mm	1500mm	485mm
Kent Rectangle Planter KRP 1800/800	800mm	1800mm	485mm

Fixing Options:

All of Kent's Planters are freestanding units. There is no fitting required but they can be fitted on request.





Specification

Specify:

Kent Rectangle Planter KRP-1500/440; L:1500mm, H:665mm, W:485mm; Grade 316L Stainless Steel;

3mm Thick Wall; EN10088 320 Grit Satin Finish;

Customise your size: or go with our standard

Choose your steel:

Grade 304 Stainless steel Grade 316 Stainless steel

Choose your thickness: 3mm

Choose your finish: EN10088 320 Grit Satin Finish





Finishes



Corten Steel Finish



Imitation Corten Steel Finish



Tiger Bronze Steel Finish

Ken

KENT RECTANGULAR PLANTER - KRP-1500/665

Finishes

The Rectangular Planters can be manufactured from:

- Grade 316L Stainless Steel
- **Grade 304L Stainless**

Steel Finishes Available:

Satin Finished 320 Grit Polished, Bright Satin Finish, Bright Peened Finish, Shot Peened, Metallic Black Finish, Imitation Corten Steel, Pre-Weathered Corten & Tiger Bronze.



Bright Peened



Bright Satin



Satin Finish 320 Grit Polished



Shot Peened



Tiger Bronze



Imitation Corten




Antique Copper



Metallic Black



Pre-Weathered Corten





Maintenance

Stainless Steel Maintenance


Clean the stainless steel components using warm water with a mild detergent with a non-abrasive cloth or sponge. Heavier stains may require the use of a nylon-scouring pad or a stainless steel cleaner.

To remove paint or graffiti use a cloth and Alkaline or solvent paint strippers according to type of paint. In the case of a bead blasted finish, where abrasive cleaning is required, always use a random circular rubbing action with a cloth.

In the case of brushed finishes the surface consists of uniform fine 'scratches' running in one direction so where abrasive cleaning is required always use a straight back and forward rubbing action in the direction of the grain using soap and warm water.

Rust spots or 'tea stains' can occur on the surface of the material, these are normally caused by contamination from ordinary mild steel, particularly in areas where construction work has been undertaken. Such stains can be removed using Rust Remover 410.

In cases where the surface is severely stained because of severe environmental conditions or scratched due to misuse, it may still be possible to restore the original finish using chemicals such as Oxalic Acid solution. There are many stainless steel polishes available to enhance the surface finish.



A partner you can rely on



Contact us

Phone: +353 53 914 3216

UK Freephone: 0800 376 8377

USA: 718 374 7391

Email: info@kentstainless.com

Address: Ardcavan, Wexford, Ireland, Y35 CRW2

