

# BRISTOL BENCH



# Kent Bristol Bench KBSB1850


### Specify:

Kent Bristol Bench KBSB1850; 1850mm long; Grade 316L Stainless Steel; Bright Satin Finish; Visible Flange

The Kent Bristol Bench KBSB1850 is an 1850mm long stainless steel bench. The bench is manufactured from heavy duty stainless steel throughout to maximise vandal resistance and minimise maintenance.



Low maintenance



Grade 316 stainless steel





3mm thick composition throughout


#### **Features**

- Grade 316 stainless steel
- → 3mm thick composition throughout
- ◆ Convex Finish
- Short stay seating










## **Product Dimentions:**

Reference	Height	Width	Length
Kent Bristol KBSB1850	450mm	425mm	1850mm
Kent Bristol KBSB3000	450mm	425mm	3000mm



# Kent Bristol Bench KBSB1850

#### Visible Flange:


- Ensure that the surface to which the bench is mounted is to sufficiently strong.
- Position the bench in the correct location. Mark the holes and drill into the surface.
- Place the bench directly over the holes and then fix the bench to the surface using M12 bolts.

#### Buried Flange:

- $\bullet$  Cast a foundation 300mm with minimum dimensions of L350 x W350 x D350mm below the surface.
- Once concrete is set follow steps 1-3 as per flange detail above.
- Fill hole with grout and replace slabs to finish of bollard

#### Cast In:

- Remove pavement and excavate a hole to minimum dimensions of L350 x W350 x D350mm.
- Position your bench in the correct position ensuring correct height and then prop the bench securely.
- Fill the hole with concrete up to the level of the underside of the pavement ensuring a good smooth surface finish.
- Remove props, replace the paving slabs, and ensure that they are well bedded in.




## **Product Options:**



Bright Satin Finish; Visible Flange

Choose from
Cold Rolled Electro Polished
Satin Finish 320 grit
Bright Satin
Shot Peened or
Bright Peened

Choose from Visible Flange Buried Flange or Cast In



# Kent Bristol Bench KBSB1850

# **Overview**

The Kent Bristol Bench KWB1800 is constructed from from heavy duty stainless steel throughout to maximise vandal resistance and minimise maintenance. The individual seating units encourage short stay usage. The modular design allows for additional units to be added at ease, to create a 5, 7 or 9 person bench. The legs of the bench can be made to match bollard designs on the same project in terms of diameter, cap design and finish. Despite the material's corrosion resistant properties some care is required to maintain a bright appearance. The conditions that the bench is i

# **Maintenance**

Stainless Steel

Clean the stainless steel components using warm water with a mild detergent with a non-abrasive cloth or sponge. Heavier stains may require the use of a nylon-scouring pad or a stainless steel cleaner. To remove paint or graffiti use a cloth and Alkaline or solvent paint strippers according to type of paint. In the case of a bead blasted finish, where abrasive cleaning is required, always use a random circular rubbing action with a cloth. In the case of brushed finishes the surface consists of uniform fine 'scratches' running in one direction so where abrasive cleaning is required always use a straight back and forward rubbing action in the direction of the grain using soap and warm water. Rust spots or 'tea stains' can occur on the surface of the material, these are normally caused by contamination from ordinary mild steel, particulary inareas where construction work has been undertaken. Such stains can be removed using Rust Remover 410. In cases where the surface is severely stained because of severe environmental conditions or scratched due to misuse, it may still be possible to restore the original finishusing chemicals such as Oxalic Acid solution. There are many stainless steel polishes available to enhance the surface finish. We recommend Mister Stainless Ltd. as a provider for stainless steel cleaning products.