



KILKENNY SEAT



Kent Kilkenny Seat KKS1500


Specify:

Kent Kilkenny Seat KKS1500; 1500mm long; Grade 316L Stainless Steel; Cold Rolled Electropolished with Shot Peened End Plates and Legs; Surface Mounted.

Our Kilkenny Seat is a 1500mm long, three person stainless steel seat. It is a budget price seat but although low cost the seat is manufactured from heavy duty stainless steel throughout. This maximises vandal resistance and minimises maintenance whilst keeping lifetime costs low. It has a contrasting two tone finish where the main surface of the seat has a Cold Rolled Electropolished finish and both end sides have a Shot Peened surfaces. This ensures a high quality finish is achieved, even at low cost.



Surface Mounted




Two-tone contrasting finish between main surface and end sides



Concave base for extra comfort with a convex back rest.

Features



- ◆ Grade 316L Stainless Steel
- ◆ 4mm thick composition throughout
- ◆ Low maintenance





Product Dimentions:

Reference	Height	Width	Length
Kent Kilkeny Seat KKS1500	880mm	580mm	1500mm



Visible Flange:


- Ensure that the surface to which the bench is mounted is sufficiently strong.
- Position the bench in the correct location. Mark the holes and drill into the surface.
- Place the bench directly over the holes and then fix the bench to the surface using M12 bolts.

Buried Flange:

- Cast a foundation 300mm with minimum dimensions of L350 x W750 x D350mm below the surface.
- Once concrete is set follow steps 1-3 as per flange detail above.
- Fill hole with grout and replace slabs to finish of bollard

Cast In:

- Remove pavement and excavate a hole to minimum dimensions of L350 x W750 x D350mm.
- Position your bench in the correct position ensuring correct height and then prop the bench securely.
- Fill the hole with concrete up to the level of the underside of the pavement ensuring a good smooth surface finish.
- Remove props, replace the paving slabs, and ensure that they are well bedded in.



Product Options:

Choose from 1500mm
or your custom size

Choose from grade
304L or grade 316L
stainless steel

Specify:
Kent Kilkenny Seat KKS1500; 1500mm long; Grade 316L Stainless Steel;
Cold Rolled Electropolished with Shot Peened End Plates and Legs; Visible Flange

Choose from
Cold Rolled Electro Polished
Bright Peened
Satin Finish 320 grit
Bright Satin or
Shot Peened

Choose from
Visible Flange
Buried Flange or
Cast In



Kent Kilkenny Seat KKS1500

Overview

Our Kilkenny Seat is a 1500mm long, three person stainless steel seat. It is a budget price seat but although low cost the seat is manufactured from heavy duty stainless steel throughout. This maximises vandal resistance and minimises maintenance whilst keeping lifetime costs low. It has a contrasting two tone finish where the main surface of the seat has a Cold Rolled Electropolished finish and both end sides have a Shot Peened surfaces. This ensures a high quality finish is achieved, even at low cost.

Maintenance

Stainless Steel:

Clean the stainless steel components using warm water with a mild detergent with a non-abrasive cloth or sponge. Heavier stains may require the use of a nylon-scouring pad or a stainless steel cleaner. To remove paint or graffiti use a cloth and Alkaline or solvent paint strippers according to type of paint. In the case of a bead blasted finish, where abrasive cleaning is required, always use a random circular rubbing action with a cloth. In the case of brushed finishes the surface consists of uniform fine 'scratches' running in one direction so where abrasive cleaning is required always use a straight back and forward rubbing action in the direction of the grain using soap and warm water. Rust spots or 'tea stains' can occur on the surface of the material, these are normally caused by contamination from ordinary mild steel, particularly in areas where construction work has been undertaken. Such stains can be removed using Rust Remover 410. In cases where the surface is severely stained because of severe environmental conditions or scratched due to misuse, it may still be possible to restore the original finish using chemicals such as Oxalic Acid solution. There are many stainless steel polishes available to enhance the surface finish. We recommend Mister Stainless Ltd. as a provider for stainless steel cleaning products.