

MADRID BENCH



Kent Madrid Bench KMB6000

Specify:


Kent Madrid Bench KMB6000; 6000mm long; Curved with 13,420mm inside radius, 14,000mm outside radius; Grade 316L Stainless Steel; Bright Satin; Surface Mounted.

Our Kent Madrid Bench is a 6000mm long stainless steel bench. The bench is manufactured from heavy duty stainless steel box section throughout.

The modular design allows for feature benches to be used around trees, planters or sculptures and lends itself to creating a curved seating area when required. It can be curved into a circle or a serpentine shape.




Modular design allows you to create a curved seating area if required




Manufactured from Grade 316 box section throughout






Kent Madrid Bench KMB6000



Product Dimentions:

Reference	Height	Width	Length
Kent Madrid KMB6000	450mm	580mm	6000mm
Kent Madrid KMB12000	450mm	580mm	12000mm



Visible Flange:


- Ensure that the surface to which the bench is mounted is to sufficiently strong.
- Position the bench in the correct location. Mark the holes and drill into the surface.
- Place the bench directly over the holes and then fix the bench to the surface using M12 bolts.

Buried Flange:


- \cdot Cast a foundation 300mm with minimum dimensions of L350 x W350 x D350mm below the surface.
- Once concrete is set follow steps 1-3 as per flange detail above.
- Fill hole with grout and replace slabs to finish of bollard

Cast In:

- Remove pavement and excavate a hole to minimum dimensions of L450 x W550 x D350mm.
- Position your bench in the correct position ensuring correct height and then prop the bench securely.
- Fill the hole with concrete up to the level of the underside of the pavement ensuring a good smooth surface finish.
- Remove props, replace the paving slabs, and ensure that they are well bedded in.









www.kentstainless.com

Kent Madrid Bench KMB6000

Overview

The KMB6000 is a 6000mm long stainless steel bench. The bench is manufactured from heavy duty stainless steel box section throughout. The prominent design can be used as a feature and focal point to any urban setting, while the stainless steel construction will maximise vandal resistance. The modular design allows for feature benches to be used around trees, planters or sculptures.

Maintenance

Stainless Steel:

Clean the stainless steel components using warm water with a mild detergent with a non-abrasive cloth or sponge. Heavier stains may require the use of a nylon-scouring pad or a stainless steel cleaner. To remove paint or graffiti use a cloth and Alkaline or solvent paint strippers according to type of paint. In the case of a bead blasted finish, where abrasive cleaning is required, always use a random circular rubbing action with a cloth. In the case of brushed finishes the surface consists of uniform fine 'scratches' running in one direction so where abrasive cleaning is required always use a straight back and forward rubbing action in the direction of the grain using soap and warm water. Rust spots or 'tea stains' can occur on the surface of the material, these are normally caused by contamination from ordinary mild steel, particulary inareas where construction work has been undertaken. Such stains can be removed using Rust Remover 410. In cases where the surface is severely stained because of severe environmental conditions or scratched due to misuse, it may still be possible to restore the original finishusing chemicals such as Oxalic Acid solution. There are many stainless steel polishes available to enhance the surface finish. We recommend Mister Stainless Ltd. as a provider for stainlees steel cleaning products.