

# KENT DOHA FINGERPOST



## Kent Doha Fingerpost KDFP3000/3

#### Specify:

Kent Doha Finger Post KDFP3000/3; 3000mm High; Grade 316L Stainless Steel; Bright Satin Finish; Aluminium Extrusion Finger Posts to RAL 5103 (Blue) with RAL 1003 (Yellow) with a white font; Silhouette of Walker on Top of Post.

The Kent Doha Finger Post is manufactured from Grade 316L Stainless Steel box section. This allows signage to be directed in 90 degree angles. As standard it allows for 5 signs in each direction but this can be altered on request. It features a silhouette on top of the main post and this can also be customized to suit any project. We offer various means of printing text on each sign with the most popular being the use of decals. These can incorporate many colours and detailed artwork.

#### Features

- → Fingers mounted on Box Section post, allowing 90 degree directions
- → 5 fingers as standard in each direction
- → Customisable Top silhouette
- → 3mm thick, vandal resistant posts
- Decals applied to fingers can incorporate fine print colours and logos










## **Product Dimentions:**

Reference	Height
Kent Doha Finger Post KDFP3000/3	3000mm



# Kent Doha Fingerpost KDFP3000/3

#### Visible Flange:


- Ensure that the surface to which the stand is mounted is to sufficiently strong.
- Position the pole in the correct location. Mark the holes and drill into the surface.
- Place the pole directly over the holes and then fix the pole to the surface using M12 bolts.

#### Buried Flange:

- Cast a foundation with a minimum dimension of L600 x W600 x D600mm below the surface.
- Once concrete is set follow steps 1-3 as per flange detail above.
- Fill hole with grout and replace slabs to finish of the pole


#### Cast In:

- Remove pavement and excavate a hole to minimum dimensions of L600 x W600 x D600mm.
- Position your pole in the correct position ensuring correct height and then prop the stand securely.
- Fill the hole with concrete up to the level of the underside of the pavement ensuring a good smooth surface finish.
- Remove props, replace the paving slabs, and ensure that they are well bedded in.





**Product Options:** 





# Kent Doha Fingerpost KDFP3000/3

## **Overview**

The Kent Doha Finger Post is manufactured from Grade 316L Stainless Steel box section. This allows signage to be directed in 90 degree angles. As standard it allow for 5 signs in each direction but this can be altered on request. It features a silhouette on top of the main post and this can also be customized to suit any project. We offer various means of printing text on each sign with the most popular being the use of decals. These can incorporate many colours and detailed artwork.

## **Maintenance**

Stainless Steel

Clean the stainless steel components using warm water with a mild detergent with a non-abrasive cloth or sponge. Heavier stains may require the use of a nylon-scouring pad or a stainless steel cleaner. To remove paint or graffiti use a cloth and Alkaline or solvent paint strippers according to type of paint. In the case of a bead blasted finish, where abrasive cleaning is required, always use a random circular rubbing action with a cloth. In the case of brushed finishes the surface consists of uniform fine 'scratches' running in one direction so where abrasive cleaning is required always use a straight back and forward rubbing action in the direction of the grain using soap and warm water. Rust spots or 'tea stains' can occur on the surface of the material, these are normally caused by contamination from ordinary mild steel, particulary inareas where construction work has been undertaken. Such stains can be removed using Rust Remover 410. In cases where the surface is severely stained because of severe environmental conditions or scratched due to misuse, it may still be possible to restore the original finishusing chemicals such as Oxalic Acid solution. There are many stainless steel polishes available to enhance the surface finish. We recommend Mister Stainless Ltd. as a provider for stainless steel cleaning products.

